

Duluth Public Schools

Severe Allergy Action Plan
Individual Health Plan/Emergency Care Plan

Name:		D.O.B.:	Grade: _	
Allergy to:				
Hospital Preference: St. Lul	kes∐ Essentia∏ As	sthma: Yes⊡ (H	igher Risk for a Seve	re Reaction) No⊡
Parent(s)/Guardian(s):		Home:	Cell:	Work:
Name of Physician:				
Any SEVERE SYMPTOMS aft Ingestion: One or more of the following: LUNG: Short of breath, whe HEART: Pale, blue, faint, we THROAT: Tight, hoarse, tro MOUTH: Obstructive swelling SKIN: Many hives over body	eze, repetitive cough eak pulse, dizzy, confu uble breathing/swallow ng (tongue and/or lips)	used	-Antihistamii -Inhaler (bro Asthma	Y oring (see box nal medications:* ne onchodilator) if
	s, swelling (e.g., eyes,		are not to be deper	nhalers/bronchodilators ided upon to treat a severe its). USE EPINEPHRINE.
GUT: Vomiting, diarrhea, MILD SYMPTOMS ONLY: MOUTH: Itchy mouth SKIN: A few hives around mou GUT: Mild nausea/discomfort			professionals an 3. If symptoms p USE EPINEPHRIN	dent; alert healthcare nd parent progress (see above),
Medication/Doses Epinephrine (brand and do Antihistamine (brand and do Other (e.g., inhaler-bronche* Will medication be availab Other Instructions:	ose):odilator if asthmatic):			
Monitoring Stay with student; alert healthcome ambulance with epinephrine. Note that the first back with legs raised. Treat students	te time when epinephrii if symptoms persist or r	ne was administer ecur. For a severe	ed. A second dose of epir reaction, consider keepir	nephrine can be given ng student lying on
Parent/Guardian Signature	Date Phys	sician/Healthcar (Requi	e Provider Signature red)	Date
School Nurse Signature	Date			Revised 4/20/16